Journal of Clinical Trials and Case Studies
Open access

Commentary

Nanodiamond-Zinc Oxide (ND-ZnO): A Multifunctional Molecule for Skin Regeneration

Xinge Diana Zhang*, Xuefei Bai, Claudia Teng

**B.A.I. Biosciences, Inc., Cambridge, Massachusetts, United States*

***Correspondence:** Xinge Diana Zhang, B.A.I. Biosciences, Inc., Cambridge, Massachusetts, United States, E-mail: diana@baibiosciences.com; DOI: DOI: 10.1042/JCTCS.7.2.0023

Abstract

Nanodiamond-zinc oxide (ND-ZnO) is an emerging bioactive material that combines regenerative, antioxidant, and photoprotective properties in a single, skin-compatible platform. Engineered with a nanodiamond core and porous zinc oxide shell, ND-ZnO supports key skin functions including fibroblast migration, collagen synthesis and pigment regulation, while also scavenging up to 80% of reactive oxygen species (ROS) generated by environmental stress. *In vitro* and clinical studies demonstrate that ND-ZnO accelerates wound healing, restores UVA-compromised collagen production, improves delivery of active ingredients such as niacinamide and reduces visible signs of inflammation, erythema and hyperpigmentation. In both every day and post-procedural contexts-including recovery from laser resurfacing and actinic keratosis removal-ND-ZnO enhances skin repair while minimizing pigment rebound and irritation. Its transparent finish and safety profile make it accessible across skin types and tones. Together, these data position ND-ZnO as a new class of multifunctional dermatological active, capable of addressing both intrinsic and extrinsic aging processes through a multimodal, first-principles approach to skin health.

Keywords: Skin Regeneration, Hyperpigmentation, Absorption, Pigment, Wound Closure

Received date: April 30, 2025; **Accepted date:** May 09, 2025; **Published date:** May 20, 2025

Citation: Xinge Diana Zhang (2025) Nanodiamond-Zinc Oxide (ND-ZnO): A Multifunctional Molecule for Skin Regeneration. J Clin Trial Case Stud 7: 2.

Introduction

Our skin health is influenced by a continuous interplay between external environmental stressors and internal repair mechanisms. With rising consumer and clinical demand for products that offer more than just superficial coverage, novel molecules that both protect and actively support skin regeneration have attracted growing interest. Nanodiamond-zinc oxide (ND-ZnO) is one such material, a composite molecule that combines regenerative and antioxidant functions in a photostable, skin-compatible platform. Built around a nanodiamond core and encased in porous zinc oxide crystallites, ND-ZnO offers unique benefits for fibroblast function, dermal matrix synthesis, pigment stabilization and inflammatory resolution, distinguishing it as a new category of skin-rebuilding ingredient [1].

Description

At the cellular level, ND-ZnO has demonstrated strong effects on dermal repair. In scratch assays mimicking wound healing processes, fibroblasts exposed to ND-ZnO migrated nearly twice as fast as controls, indicating acceleration in wound closure [2]. This effect was consistently observed across multiple assay replicates and further supported by fluorescence microscopy imaging, which confirmed more extensive wound closure in the ND-ZnO-treated group [3]. In practical terms, this suggests the material may accelerate healing in damaged or inflamed skin, including skin recovering from ablative cosmetic procedures or chronic inflammatory states. In clinical settings, ND-ZnO has shown promise in enhancing post-procedural wound healing. Patients undergoing various types of ablative laser treatments experienced faster and more effective healing when ND-ZnO was incorporated into their post-care regimen. This accelerated recovery not only reduces downtime but may also enhance the overall results of cosmetic procedures by promoting optimal skin regeneration.

ND-ZnO also improves collagen synthesis, a critical factor in structural skin aging. *In vitro* assays revealed that UVA-aged fibroblasts treated with ND-ZnO regained over 70% of their baseline collagen production. Given the role of collagen in maintaining dermal strength and elasticity, these results point to a broader potential in long-term skin rejuvenation beyond short-term healing. Real world use cases show patients with Actinic Keratoses removal seen fast wound healing and skin repair due to increased collagen production [3].

Mechanistically, this regenerative capacity is driven by ND-ZnO's ability to contain and neutralize reactive oxygen species (ROS) [4]. Reactive oxygen species (ROS) are generated both endogenously and in response to UV radiation. They contribute to DNA damage, pigment dysregulation, collagen degradation and inflammatory signaling. The nanodiamond core in ND-ZnO appears to serve as a stable and localized ROS scavenger, sharply reducing ROS generation under solar radiation. In side-by-side assays, ND-ZnO scavenges approximately 80% ROS over a six-hour period. This behavior offers a distinct advantage in both photoaging prevention and the management of inflammatory skin conditions where oxidative stress is central [1].

Moreover, ND-ZnO shows measurable advantages in photoprotection over other molecules and UV filters. The material exhibits stronger absorption in both the UVB and UVA-II regions (290-340 nm), with coverage that extends into the UVA-I range up to 400 nm. These gains are attributed to the engineered nanoscale architecture, which enhances UV absorption without requiring concerning chemical UV filter analogs or organic UV filters. In comparison with several commercial zinc oxide sunscreens labeled SPF 50+, ND-ZnO preparations blocked more despite containing lower percentages of zinc oxide by weight [5]. Notably, ND-ZnO formulations achieve this without a visible white cast, overcoming a longstanding drawback of mineral sunscreens. Photographs of subjects with various skin tones showed that ND-ZnO disappears upon application, unlike traditional zinc oxide, which remains visibly chalky even at reduced dosages.

These core properties position ND-ZnO as a promising therapeutic for conditions marked by inflammation, barrier compromise and pigment dysregulation. In a case series involving 35 subjects with persistent redness and papulopustular lesions consistent with subtype I and II rosacea, ND-ZnO based formulations significantly improved erythema, cleared inflammatory lesions and normalized skin texture over 8 weeks of daily use. Expert grading scores showed statistically significant improvement and patient self-reports echoed the visual gains: 95% cited improved clarity, smoothness, or brightness. Representative case images showed more uniform skin tone, smoother texture and a marked decrease in visible inflammation. These findings suggest that ND-ZnO not only soothes irritated skin but may help control factors involved in rosacea pathogenesis, including subclinical inflammation and barrier compromise.

Hyperpigmentation is another area where ND-ZnO shows promising benefit. Pigmentation disorders, such as melasma or post-inflammatory hyperpigmentation (PIH), are often driven by cumulative exposure to UVA and visible light, particularly in skin types IV-VI. The enhanced absorption of ND-ZnO in these spectral bands can interrupt that signaling upstream by blocking the triggers for melanocyte activation. Clinical case reports further support this application: in a group of patients with visible hyperpigmentation, daily use of ND-ZnO-containing skincare improved pigment uniformity and reduced the appearance of age spots and melasma over a 4-to-12-week period. Moreover, ND-ZnO enhances delivery and retention of pigment-correcting actives. In reconstructed skin models, the presence of ND-ZnO improved niacinamide penetration by more than 200%. This enhanced delivery could amplify the effects of agents that have demonstrated efficacy in pigment reduction and inflammation control and work in synergy for enhanced outcomes in hyperpigmentation management.

Together, these findings suggest that ND-ZnO is well suited for both every day and specialized applications. As a daily protective and regenerative treatment, it addresses not only photodamage, but the downstream consequences of all signs of aging: pigment irregularity, inflammation and barrier breakdown. Its transparent finish and gentle profile make it suitable for all skin types, including those with rosacea or pigment-prone skin. In post-procedure recovery and enhancement, ND-ZnO offers further value by boosting collagen production, calming irritation, accelerating repair and reducing the risk of pigmentation rebound. Patients recovering from ablative laser treatments, chemical peels, or microneedling may benefit from ND-ZnO's ability to shorten downtime and support better regenerative outcomes.

Conclusion

Together, these findings suggest that ND-ZnO is well suited for both every day and specialized applications. As a daily protective and regenerative treatment, it addresses not only photodamage, but the downstream consequences of all signs of aging: pigment irregularity, inflammation and barrier breakdown. Its transparent finish and gentle profile make it suitable for all skin types, including those with rosacea or pigment-prone skin. In post-procedure recovery and enhancement, ND-ZnO offers further value by boosting collagen production, calming irritation, accelerating repair and reducing the risk of pigmentation rebound. Patients recovering from ablative laser treatments, chemical peels, or microneedling may benefit from ND-ZnO's ability to shorten downtime and support better regenerative outcomes.

Taken as a whole, ND-ZnO reflects a shift in dermatologic care toward first principle driven, solution oriented and multimodal topicals that target various pathways of skin aging, provide both protection and repair functions. By combining improved spectral coverage, localized ROS control, fibroblast stimulation and pigment stabilization in one compound, ND-ZnO delivers a range of benefits previously cannot be achieved well by traditional ingredients. The current body of evidence-spanning laboratory experiments, clinical studies and real-world patient use-supports its promise as a breakthrough solution to dermatological care.

Competing Interests

The author declares no competing interests.

References

1) Bai X, Yan J, Gilchrest BA. Next-Generation Zinc Oxide-Based Sunscreens: Molecular characteristics and advantages. J Invest Dermatol. 2024,144:430-434 e1.
2) Simona Martinotti ER. Scratch Wound healing assay. Meth Mol Biol. 2020, 1:225-229.
3) Zhang XD, Teng C, Bai X, Teng J, Chilukuri S, et al. Enhanced skin regeneration and therapeutic delivery using novel diamond-augmented zinc oxide. J Cosmet Dermatol. 2024, 23:4043-4050.
4) Md Jaffri J. Reactive oxygen species and antioxidant system in selected skin disorders. Malays J Med Sci. 2023, 30:7-20.
5) Moradi Tuchayi S, Wang Z, Yan J, Garibyan L, Bai X. Gilchrest BA. Sunscreens: Misconceptions and misinformation. J Invest Dermatol. 2023, 143:1406-1411.