

Case Report

Integrating Vegan Principles with Paleolithic Nutrition in Diabesity and Endocrine Health

Seungjun Kim^{1*}, Dominic Arjuna Ugarte², Adam Hanley³, Sarah Martin⁴, Sean D Young⁵

¹*Department of Informatics, University of California, Irvine, USA

²Department of Emergency Medicine, University of California, Irvine, USA

³Department of Social Work, University of Utah, Salt Lake City, USA

⁴Department of Anesthesiology & Perioperative

Care, University of California, Irvine, USA

⁵Department of Emergency Medicine and Informatics, University of California, Irvine, USA

***Correspondence:** Seungjun Kim, Department of Informatics, University of California, Irvine, USA
, E-mail: alskim@hotmail.com, DOI: 10.1042/TDOM.2.1.0004

Abstract

The increasing prevalence of diabesity, a combined state of obesity and type 2 diabetes mellitus, along with other endocrine disorders, has emerged as a major global health concern. These conditions are primarily driven by lifestyle factors, particularly dietary habits, physical inactivity, and metabolic imbalances. In recent years, there has been growing interest in alternative dietary patterns that may help improve metabolic health, including plant-based nutrition models and ancestral dietary frameworks.

Keyword: Veganism, Paleolithic Diet, Diabesity; Endocrinopathies, Insulin sensitivity, Plant-Based nutrition

Received date: Apr 12, 2025; **Accepted date:** Apr 19, 2025; **Published date:** Apr 30, 2025

Citation: Seungjun Kim (2025) Integrating Vegan Principles with Paleolithic Nutrition in Diabesity and Endocrine Health. TDOM, 2:1

Copyright: © 2025, Seungjun Kim. All intellectual property rights, including copyrights, trademarks rights and database rights with respect to the information, texts, images, logos, photographs and illustrations on the website and with respect to the layout and design of the website are protected by intellectual property rights and belong to Publisher or entitled third parties. The reproduction or making available in any way or form of the contents of the website without prior written consent from Publisher is not allowed.

Introduction

The Paleolithic diet is based on the concept of consuming foods similar to those eaten by early human populations, emphasizing whole, unprocessed foods such as fruits, vegetables, nuts, seeds, and lean protein sources. In contrast, vegan nutrition eliminates all animal-derived products and focuses entirely on plant-based food sources. Although these two dietary approaches appear fundamentally different, both prioritize minimally processed foods and have been associated with improvements in metabolic health outcomes.

Concept of a vegan paleolithic approach

A combined vegan-Paleolithic dietary model attempts to integrate the principles of both approaches by focusing exclusively on plant-based foods while maintaining the structural simplicity of ancestral eating patterns. This includes the exclusion of refined grains, processed sugars, and ultra-processed foods, while emphasizing natural, whole plant foods.

Such a dietary pattern is increasingly being explored for its potential role in managing metabolic disorders, particularly obesity, insulin resistance, and endocrine dysfunctions.

Potential role in diabetes and metabolic disorders

Both vegan and Paleolithic dietary patterns have independently demonstrated beneficial effects on body weight regulation, glycemic control, and insulin sensitivity. Diets rich in plant-based foods are typically high in dietary fiber, antioxidants, and phytonutrients, all of which contribute to improved metabolic regulation and reduced systemic inflammation.

Similarly, Paleolithic-style diets, when followed in a balanced manner, have been associated with improvements in lipid profiles, blood glucose control, and insulin response. These effects are particularly relevant in the management of diabetes, where insulin resistance plays a central role in disease progression.

A combined approach may therefore offer complementary benefits by enhancing nutrient density while minimizing exposure to processed foods that contribute to metabolic dysfunction.

Implications for endocrine health

Emerging evidence suggests that plant-based dietary patterns may also have a positive influence on endocrine-related conditions such as polycystic ovary syndrome (PCOS), thyroid dysfunction, and metabolic syndrome. Improved insulin sensitivity and reduced adiposity are key mechanisms through which dietary interventions may influence hormonal balance.

However, careful dietary planning is necessary in vegan-based approaches to ensure adequate intake of essential nutrients such as vitamin B12, iron, omega-3 fatty acids, and high-quality protein sources.

Challenges and nutritional considerations

Despite potential benefits, a vegan-Paleolithic dietary model presents several nutritional challenges. The exclusion of animal products and processed food groups can increase the risk of micronutrient deficiencies if the diet is not properly balanced. Nutritional adequacy must therefore be ensured through a diverse intake of legumes, seeds, nuts, leafy vegetables, and fortified foods where necessary.

Another challenge lies in maintaining long-term adherence, as restrictive dietary patterns may be difficult to sustain without proper guidance and meal planning strategies.

Conclusion

The integration of vegan and Paleolithic dietary principles represents a novel nutritional approach with potential applications in the management of diabetes and endocrine disorders. By emphasizing whole, plant-based foods and eliminating processed dietary components, this approach may support improved metabolic outcomes, including better glycemic control and weight regulation.

However, current evidence remains largely theoretical and observational in nature. More rigorous clinical studies and long-term trials are required to validate the effectiveness, safety, and sustainability of this combined dietary strategy across different populations.

REFERENCES

- Centers for Disease Control and Prevention. Data and statistics on sickle cell disease. National Center on Birth Defects and Development Disabilities, Centers for Disease Control and Prevention. 2020.
- Osunkwo I, Andemariam B, Minniti CP, Inusa BP, El Rassi F, Francis-Gibson B, et al. Impact of sickle cell disease on patients' daily lives, symptoms reported, and disease management strategies.
- Results from the international Sickle Cell World Assessment Survey (SWAY). *Am J Hematol*. 2021;96(4):404-417.
- Lubeck D, Agodoa I, Bhakta N, Danese M, Pappu K, Howard R, et al. Estimated life expectancy and income of patients with sickle cell disease compared with those without sickle cell disease. *JAMA Netw Open*. 2019;2(11):e1915374.
- Garland EL, Brintz CE, Hanley AW, Roseen EJ, Atchley RM, Gaylord SA, et al. Mind-body therapies for opioid-treated pain: A systematic review and meta-analysis. *JAMA Intern Med*. 2020;180(1):91-105.
- Martin K. Mindfulness-oriented recovery enhancement for addiction, stress, and pain. Eric L. Garland. *Soc Work*. 2013;67(3):214.
- Garland EL, Froeliger B, Zeidan F, Partin K, Howard MO. The downward spiral of chronic pain, prescription opioid misuse, and addiction: Cognitive, affective, and neuropsychopharmacologic pathways. *Neurosci Biobehav Rev*. 2013;37(10):2597-2607.
- Garland EL, Hanley AW, Nakamura Y, Barrett JW, Baker AK, Reese SE, et al. Mindfulness-oriented recovery enhancement vs. supportive group therapy for co-occurring opioid misuse and chronic pain in primary care: A randomized clinical trial. *JAMA Intern Med*. 2022;182(4):407-417.
- Parisi A, Roberts RL, Hanley AW, Garland EL. Mindfulness- oriented recovery enhancement for addictive behavior, psychiatric distress, and chronic pain: A multilevel meta-analysis of randomized controlled trials. *Mindfulness (N Y)*. 2022;13(10):2396-2412.
- Garland EL, Baker AK, Larsen P, Riquino MR, Priddy SE, Thomas E, et al. Randomized controlled trial of brief mindfulness training and hypnotic suggestion for acute pain relief in the hospital setting. *J Gen Intern Med*. 2017;32:1106-1113.
- Hanley AW, Gililand J, Erickson J, Pelt C, Peters C, Rojas J, et al. Brief preoperative mind-body therapies for total joint arthroplasty patients: A randomized controlled trial. *Pain*. 2021;162(6):1749-1757.
- Hanley AW, Gililand J, Garland EL. To be mindful of the breath or pain: Comparing two brief preoperative mindfulness techniques for total joint arthroplasty patients. *J Consult Clin Psychol*. 2021;89(7): 590.
- Ugarte DA, Hanley A, Dusek JA, Martin S, Cumberland W, Young S, et al. Feasibility and acceptability of online recruitment and an online brief mindfulness intervention among patients with sickle cell disease. *Cureus*. 2023;15(2):e35073.
- Smulowitz S. Constant Comparison. *The International Encyclopedia of Communication Research Methods*. 2017.
- Walker D, Myrick F. Grounded theory: An exploration of process and procedure. *Qual Health Res*. 2006;16(4):547-559.
- Hanley A, Garland EL. Single-session, Preoperative mindfulness- based interventions for total joint arthroplasty patients: Pre-and postoperative outcomes from three randomized clinical trials. *J Pain*. 2022;23(5):34.
- Cayoun B, Simmons A, Shires A. Immediate and lasting chronic pain reduction following a brief self-implemented mindfulness-based interoceptive exposure task: A pilot study. *Mindfulness*. 2020;11:112-124.
- Hanley AW, Dehili V, Krzanowski D, Barou D, Leczy N, Garland EL. Effects of video-guided group vs. solitary meditation on mindfulness and social connectivity: A pilot study. *Clin Soc Work J*. 2022;50(3):316-324.